Indexes to Volume 5

AUTHOR INDEX

Amar D, 135
Artru AA, 119

Behrens TL, 217
Beneken JEW, 17, 205
Bjorksten AR, 289A
Block FE Jr, 64, 68, 284, 295A, 300A
Boon LC, 289A
Bowe EA, 105
Boysen PG, 105
Broome JA, 105
Brunner JX, 90, 303A
Byer DE, 217

Camerlengo LJ, 67
Cecil WT, 64
Chalew SA, 229
Cheng EY, 1, 287
Choi HJ, 87
Clancy R, 296A
Clark S, 22
Coleman DL, 34
Cork RC, 26
Crankshaw DP, 289A

de Vries A, 17
DeSimone CA, 157
Drummond JC, 243

East KA, 170
East TD, 170
Edmonds HL Jr, 290A
Edward NE, 289A
Eisele JH Jr, 190
Elliott WR, 100, 246
Epstein RH, 157
Ereth MH, 217

Fedder SL, 116
Feldman C, 291A
Ferrari HA, 291A
Finck AD, 135
Flanagan H, 177
Fox J, 177
Fukui Y, 211

Gallo JA, 26
Garber SZ, 87
Garfield JM, 177
Gennarelli TA, 116
Gerwer A, 22
Gibbs RF, 251
Goldberg M, 22
Goldfarb D, 291A
Gorman R, 22
Gravenstein JS, 17, 256, 291A
Gravenstein N, 63, 292A
Griffiths LK, 290A
Grönstrand M, 292A, 294A
Guenther NR, 1
Guyton D, 292A

Hall RI, 164
Halpern P, 68
Hanukoglu A, 229
Harris AE, 100
Head N, 221
Heard SO, 217
Holbek CC, 4
Hon EH, 293A
Hug CC Jr, 164

Johans TG, 217
Johnson MD, 186
Jones BR, 288
Jousela I, 294A

Kalli I, 300A
Kapadia CB, 217
Kaplan S, 157
Kasam S, 296A
Katsuya H, 82
Kelleher JF, 37
Klein EF Jr, 105
Kleinman B, 111, 137
Kobata RS, 26
Koh SO, 72
Kowarski AA, 229
Kretz F-J, 287
Kupiszewsky S, 293A
Kurki TS, 221

LaPorta RF, 186
Lauer KK, 1
Leighton BL, 157
Leksell LG, 236
Linko K, 149, 294A
Little MS, 87
Loeb RG, 303A

Mahla ME, 67
Mäkelainen A, 294A
Mallory DL, 217
Masuzawa T, 211
Mathews VJ, 170
Matjasko J, 229
McCarter R, 229
McDonald JS, 295A
Meier-Hellman A, 287
Mendelson Y, 65
Meredith KS, 295A
Minic K, 295A
Mitchell MM, 296A
Moberg D, 296A
Mogue LR, 63
Monaco FJ, 295A
Mott JM, 190
Mylrea KC, 26

Naifeh KH, 72
Neidzwski J, 135
Neufeld GR, 236
Noe FE, 297A
Norris MC, 157

Orr JA, 303A

Paloheimo M, 149, 292A
Paulus DA, 293A
Peters RM, 266
Pettus DC, 297A
Philip BK, 298A
Philip JH, 100, 123, 194, 246, 298A
Pologe JA, 298A
Powell S, 111

Quinn ML, 196

Raemer DB, 246
Ramsey M III, 299A
Rantala B, 63, 300A
Ream AK, 270
Roan VP, 293A

Sakamoto RN, 229
Sakanashi Y, 82
Sanford TJ Jr, 221
Schaaf C, 300A
Scheller MS, 288
Schreiber J, 201
Schreiber PJ, 201
Schreiner MS, 236
Schulte GT, 68
Schwartz DM, 116
Schwieger IM, 164
Schwinn D, 116
Severinghaus JW, 72
Siegel LC, 67
Smith NT, 221
Spraker TE, 301A
Stawitcke F, 302A
Stommel KA, 1
Strandness DE Jr, 119
Striebel HW, 287
Sykes MK, 69, 192
Szlam F, 164

Topulos GP, 246
Tremper KK, 87
Tri JL, 217

van der Aa JJ, 205

Wald A, 135
Waterfall BT, 170
Watt R, 26
Westenskow DR, 34, 90, 302A, 303A
Whitcher C, 303A
Willsky E, 291A

Yeston N, 217
Young M, 116

Zelenkov P, 90
Zornow MH, 243

January issue, pp 1–68; April issue, pp 69–148; July issue, pp 149–220; October issue, pp 221–313. An "A" following page number signifies abstract.

Copyright © 1989 by Little, Brown and Company

Acid-base equilibrium
acidosis, respiratory
sampling intervals for clinical monitoring of variables during anesthesia (Gravenstein et al), SPECIAL COMMUNICATION, 17
Alarms. *See* Equipment
Allen's test
evaluation of the palmar circulation by pulse oximetry (Cheng et al), 1
evaluation of the palmar circulation by pulse oximetry (Striebel), CORRESPONDENCE, 287; reply (Cheng), CORRESPONDENCE, 287
Analgesics, opioids
monitoring in the intensive care unit is essential (LaPorta and Johnson), CLINICAL CONTROVERSY, 186
monitoring in the intensive care unit is not always necessary (Mott and Eisele), CLINICAL CONTROVERSY, 190
Anesthesia
cesarean section
evaluation of a continuous noninvasive blood pressure monitor in obstetric patients undergoing spinal anesthesia (Epstein et al), 157
pulse oximetry for monitoring during ward analgesia: epidural morphine versus parenteral narcotics (Choi et al), 87
concentration
infrared analysis of anesthetic gases: impact of selector switch setting, anesthetic mixtures, and alcohol (Gravenstein and Guyton), 292A
depth
assessing the depth of anesthesia: comparison of clinical parameters (Rantala), 300A
clinical inhalation anesthesia: a quantitative approach made possible by halometry (Philip and Philip), 298A
is lower esophageal contractility a reliable indicator of the adequacy of opioid anesthesia? (Schwieger et al), 164
upper facial muscle activity as an indicator of anesthetic adequacy and cerebral perfusion (Edmonds and Griffiths), 290A
Anesthesia machines. *See* Equipment
Anesthesia records. *See* Records, anesthesia
Anesthesiologists
alarms and their limits in monitoring (Beneken and van der Aa), PANEL ON PRACTICAL ALARMS, 205
computer-based video paging (Ereth et al), CORRESPONDENCE, 217
evaluation of alarm sounds in the operating room (Schaaf and Block), 300A
introduction (Sykes), PANEL ON PRACTICAL ALARMS, 192
knowledge-based approach to intelligent alarms (Fukui and Masuzawa), PANEL ON PRACTICAL ALARMS, 211
overview: creating alarms for the future (Philip), PANEL ON PRACTICAL ALARMS, 194
semipractical alarms: a parable (Quinn), PANEL ON PRACTICAL ALARMS, 196
structured alarm systems for the operating room (Schreiber and Schreiber), 201
Anesthetic techniques
epidural
monitoring in the intensive care unit is essential (LaPorta and Johnson), CLINICAL CONTROVERSY, 186
monitoring in the intensive care unit is not always necessary (Mott and Eisele), CLINICAL CONTROVERSY, 190
spinal
evaluation of a continuous noninvasive blood pressure monitor in obstetric patients undergoing spinal anesthesia (Epstein et al), 157
monitoring in the intensive care unit is essential (LaPorta and Johnson), CLINICAL CONTROVERSY, 186
monitoring in the intensive care unit is not always necessary (Mott and Eisele), CLINICAL CONTROVERSY, 190
Anesthetics
gases
closed-loop control of drugs and anesthetic vapor delivery (Westenskow), 302A
infrared analysis of anesthetic gases: impact of selector switch setting, anesthetic mixtures, and alcohol (Gravenstein and Guyton), 292A
nitrous oxide
monitoring of the inspired and end-tidal oxygen, carbon dioxide, and nitrous oxide concentrations: clinical applications during anesthesia and recovery (Linko and Paloheimo), 149
intravenous
fentanyl
is lower esophageal contractility a reliable indicator of the adequacy of opioid anesthesia? (Schwieger et al), 164
thiopental
analysis of the electroencephalogram for burst suppression produced by preprogrammed infusion of thiopental (Crankshaw et al), 289A
morphine
pulse oximetry for monitoring during ward analgesia: epidural morphine versus parenteral narcotics (Choi et al), 87
narcotics
pulse oximetry for monitoring during ward analgesia: epidural morphine versus parenteral narcotics (Choi et al), 87
halothane
automated measurements of isolated heart muscle contractions: effects of halothane, calcium, and magnesium on guinea pig left atrial muscle (Kobata et al), TECHNICAL NOTE, 26
Apnea. *See* Ventilation
Arteries
carotid
delayed carotid shunt occlusion detected by electroencephalographic monitoring (Artru and Strandness), CASE REPORT, 119

January issue, pp 1–68; April issue, pp 69–148; July issue, pp 149–220; October issue, pp 221–313. An "A" following page number signifies abstract.

 Copyright © 1989 by Little, Brown and Company

radial
evaluation of the palmar circulation by pulse oximetry (Cheng et al), 1
evaluation of the palmar circulation by pulse oximetry (Striebel), CORRESPONDENCE, 287; reply (Cheng), CORRESPONDENCE, 287
spinal
intraoperative somatosensory evoked responses recorded during onset of anterior spinal artery syndrome (Zornow and Drummond), CASE REPORT, 243
Automated record keeping. *See* Monitoring
Automatic data processing
automated measurements of isolated heart muscle contractions: effects of halothane, calcium, and magnesium on guinea pig left atrial muscle (Kobata et al), TECHNICAL NOTE, 26
computerized artifact detection for ventilatory inductance plethysmographic apnea monitors (East et al), 170
prototype ventilator and alarm algorithm for the NASA space station (Brunner et al), 90
Radiometer ABL3000 blood gas analyzer (Holbek), KNOWING YOUR MONITORING EQUIPMENT, 4

Bibliographic retrieval
comparison of two microcomputer-based programs for bibliographic retrieval and formatting (Garfield et al), SPECIAL COMMUNICATION, 177
Blood
carboxyhemoglobin
theoretical effect of carboxyhemoglobin on the pulse oximeter (Raemer et al), 246
oxygen saturation, arterial
pulse oximetry (Kelleher), REVIEW, 37
oxyhemoglobin saturation
pulse oximetry (Kelleher), REVIEW, 37
Blood gas analysis
Radiometer ABL3000 blood gas analyzer (Holbek), KNOWING YOUR MONITORING EQUIPMENT, 4
Blood pressure. *See also* Monitoring; Equipment; Measurement techniques
measurement
dynamic response of the Rose damping device (Kleinman and Powell), 111
Brain
brainstem
intraoperative monitoring of brainstem auditory evoked potentials following emergency evacuation of a cerebellar vascular malformation (Schwartz et al), CASE REPORT, 116
convulsions
tracking seizures in the neonatal intensive care unit (Moberg et al), 296A
electroencephalography
delayed carotid shunt occlusion detected by electroencephalographic monitoring (Artru and Strandness), CASE REPORT, 119
interference of automated electroencephalographic processing by an endocardial pacemaker (Clark et al), CASE REPORT, 22
quantitative monitoring of brain function, vital signs, and hormonal response during acute insulin induced hypoglycemia (Chalew et al), 229
evoked potentials
intraoperative monitoring of brainstem auditory evoked potentials following emergency evacuation of a cerebellar vascular malformation (Schwartz et al), CASE REPORT, 116
perfusion
upper facial muscle activity as an indicator of anesthetic adequacy and cerebral perfusion (Edmonds and Griffiths), 290A
Brainstem. *See* Brain

Calcium. *See* Interactions
Capnography. *See* Measurement techniques
Capnometers. *See* Equipment
Capnometry. *See* Measurement techniques
Carbon dioxide. *See also* Monitoring
concentration
monitoring of the inspired and end-tidal oxygen, carbon dioxide, and nitrous oxide concentrations: clinical applications during anesthesia and recovery (Linko and Paloheimo), 149
Cardiac output. *See* Measurement techniques
Cardiopulmonary bypass surgery. *See* Surgery, cardiovascular
Carotid arteries. *See* Arteries
Carotid endarterectomy. *See* Surgery
Catheter-transducer systems. *See* Equipment
Cesarean section. *See* Anesthesia
Collateral circulation
evaluation of the palmar circulation by pulse oximetry (Cheng et al), 1
evaluation of the palmar circulation by pulse oximetry (Striebel), CORRESPONDENCE, 287; reply (Cheng), CORRESPONDENCE, 287
Complications
hypertension
sampling intervals for clinical monitoring of variables during anesthesia (Gravenstein et al), SPECIAL COMMUNICATION, 17
hypoxemia
sampling intervals for clinical monitoring of variables during anesthesia (Gravenstein et al), SPECIAL COMMUNICATION, 17
Computers. *See* Equipment

Damping. *See* Natural frequency
Deuterium
evaluation of heavy water for indicator dilution cardiac output measurement (Schreiner et al), 236

Echocardiography. *See* Heart
Electrocardiography. *See* Monitoring
Electrode response monitoring. *See* Measurement techniques
Electroencephalography. *See* Monitoring; Brain
Embolism
air
sensitivity of various monitoring methods in the detection of venous air embolism (Makelainen et al), 294A
Epidural anesthesia. *See* Anesthetic techniques
Equipment
developing new products—a working model of the process: turning ideas into marketable products (Spraker), 301A

Equipment (*continued*)
alarms
alarm strategies for anesthesia: where we've been; where we are now; where we're going (Spraker), 301A
alarms and their limits in monitoring (Beneken and van der Aa), PANEL ON PRACTICAL ALARMS, 205
computer-assisted decision support in the operating room and intensive care unit (Westenskow et al), 303A
evaluation of alarm sounds in the operating room (Schaaf and Block), 300A
introduction (Sykes), PANEL ON PRACTICAL ALARMS, 192
knowledge-based approach to intelligent alarms (Fukui and Masuzawa), PANEL ON PRACTICAL ALARMS, 211
overview: creating alarms for the future (Philip), PANEL ON PRACTICAL ALARMS, 194
prototype ventilator and alarm algorithm for the NASA space station (Brunner et al), 90
semipractical alarms: a parable (Quinn), PANEL ON PRACTICAL ALARMS, 196
structured alarm systems for the operating room (Schreiber and Schreiber), 201
anesthesia machines
positive end-expiratory pressure: implications for tidal volume changes in anesthesia machine ventilation (Elliott et al), 100
blood pressure
evaluation of a continuous noninvasive blood pressure monitor in obstetric patients undergoing spinal anesthesia (Epstein et al), 157
capnometers
capnometry in infants should not be done at lower sampling flow rates (Gravenstein), CORRESPONDENCE, 63; reply (Mogue and Rantala), CORRESPONDENCE, 63
catheter-transducer systems
dynamic response of the Rose damping device (Kleinman and Powell), 111
understanding natural frequency and damping and how they relate to the measurement of blood pressure (Kleinman), TUTORIAL, 137
computers
automated anesthesia record: friend or foe? (Ferrari), 291A
automatic anesthesia record keeping (Block), PANEL ON AUTOMATED RECORD KEEPING, 284
automating the recording and presentation of the anesthesia record (Ream), PANEL ON AUTOMATED RECORD KEEPING, 273
closed-loop control of drugs and anesthetic vapor delivery (Westenskow), 302A
comparison of two microcomputer-based programs for bibliographic retrieval and formatting (Garfield et al), SPECIAL COMMUNICATION, 177
computer-assisted decision support in the operating room and intensive care unit (Westenskow et al), 303A
interactive microcomputer for acquisition of patient information (Peters), PANEL ON AUTOMATED RECORD KEEPING, 266
method for data acquisition from patient monitors for use with an automated patient information system (Pettus), 297A
present and future medicolegal importance of record keeping in anesthesia and intensive care: the case for automation (Gibbs), PANEL ON AUTOMATED RECORD KEEPING, 251
uses of the anesthesia record (Gravenstein), PANEL ON AUTOMATED RECORD KEEPING, 256
will automated anesthesia recordkeeping work in a large university hospital setting? (Minic et al), 295A
drug infusion
closed-loop control of drugs and anesthetic vapor delivery (Westenskow), 302A
finger blood pressure monitor
pulse oximetry and finger blood pressure measurement during open-heart surgery (Kurki et al), 221
intravenous infusion
model for the physics and physiology of fluid administration (Philip), SPECIAL COMMUNICATION, 123
intravenous systems
model for the physics and physiology of fluid administration (Philip), SPECIAL COMMUNICATION, 123
monitors
alarms and their limits in monitoring (Beneken and van der Aa), PANEL ON PRACTICAL ALARMS, 205
evaluation of alarm sounds in the operating room (Schaaf and Block), 300A
introduction (Sykes), PANEL ON PRACTICAL ALARMS, 192
knowledge-based approach to intelligent alarms (Fukui and Masuzawa), PANEL ON PRACTICAL ALARMS, 211
overview: creating alarms for the future (Philip), PANEL ON PRACTICAL ALARMS, 194
semipractical alarms: a parable (Quinn), PANEL ON PRACTICAL ALARMS, 196
structured alarm systems for the operating room (Schreiber and Schreiber), 201
trend plots: what to keep? (Gravenstein), 291A
nasal cannulas
accurate determination of end-tidal carbon dioxide during administration of oxygen by nasal cannulae (Bowe et al), 105
pacemakers, artificial
interference of automated electroencephalographic processing by an endocardial pacemaker (Clark et al), CASE REPORT, 22
paging devices
computer-based video paging (Ereth et al), CORRESPONDENCE, 217
pulse oximeters
errors in 14 pulse oximeters during profound hypoxia (Severinghaus et al), 72
evaluation of the datascope accusat pulse oximeter in healthy adults (Cecil), CORRESPONDENCE, 64; reply (Mendelson), CORRESPONDENCE, 65
evaluation of the palmar circulation by pulse oximetry (Striebel), CORRESPONDENCE, 287; reply (Cheng), CORRESPONDENCE, 287
fluorescent light interferes with pulse oximetry (Amar et al), TECHNICAL NOTE, 135
functional saturation versus fractional saturation: what does pulse oximetry read? (Pologe), 298A
laser-sat: a sensor technology for pulse oximetry (Goldfarb et al), 291A
pulse oximetry (Kelleher), REVIEW, 37
pulse oximetry: a "which" hunt? (Sykes), EDITORIAL, 69
pulse oximetry and finger blood pressure measurement during open-heart surgery (Kurki et al), 221
pulse oximetry for monitoring during ward analgesia: epidural morphine versus parenteral narcotics (Choi et al), 87

simple and noninvasive indicator of pulmonary gas exchange impairment using pulse oximetry (Katsuya and Sakanashi), 82
theoretical effect of carboxyhemoglobin on the pulse oximeter (Raemer et al), 246
stethoscope
testing of esophageal stethoscopes to optimize design (Kupiszewsky et al), 293A
Esophageal contractility
is lower esophageal contractility a reliable indicator of the adequacy of opioid anesthesia? (Schwieger et al), 164
Evoked potentials. *See* Monitoring

Fentanyl. *See* Anesthetics, intravenous
Finger blood pressure monitor. *See* Equipment
Fluid balance
model for the physics and physiology of fluid administration (Philip), SPECIAL COMMUNICATION, 123
Fluorescent lighting. *See* Lighting

Halothane. *See* Interactions; Anesthetics
Heart
interference of automated electroencephalographic processing by an endocardial pacemaker (Clark et al), CASE REPORT, 22
contractility
automated measurements of isolated heart muscle contractions: effects of halothane, calcium, and magnesium on guinea pig left atrial muscle (Kobata et al), TECHNICAL NOTE, 26
echocardiography
color Doppler echocardiograph (Mitchell), 296A
intraoperative echocardiography: ischemic heart disease (Mitchell), 296A
ischemic heart disease
intraoperative echocardiography: ischemic heart disease (Mitchell), 296A
Hormones
insulin
quantitative monitoring of brain function, vital signs, and hormonal response during actue insulin induced hypoglycemia (Chalew et al), 229
Hypercapnia. *See* Acid-base equilibrium
Hypertension. *See* Complications
Hypoglycemia. *See* Metabolism
Hypotension, induced. *See* Blood pressure
Hypoxemia. *See* Complications
Hypoxia
errors in 14 pulse oximeters during profound hypoxia (Severinghaus et al), 72
pulse oximetry for monitoring during ward analgesia: epidural morphine versus parenteral narcotics (Choi et al), 87

Infants
capnometry in infants should not be done at lower sampling flow rates (Gravenstein), CORRESPONDENCE, 63; reply (Mogue and Rantala), CORRESPONDENCE, 63
Insulin. *See* Hormones
Intensive care units
computer-assisted decision support in the operating room and intensive care unit (Westenskow et al), 303A
interactive microcomputer for acquisition of patient information (Peters), PANEL ON AUTOMATED RECORD KEEPING, 266
present and future medicolegal importance of record keeping in anesthesia and intensive care: the case for automation (Gibbs), PANEL ON AUTOMATED RECORD KEEPING, 251
tracking seizures in the neonatal intensive care unit (Moberg et al), 296A
Interactions
calcium
automated measurements of isolated heart muscle contractions: effects of halothane, calcium, and magnesium on guinea pig left atrial muscle (Kobata et al), TECHNICAL NOTE, 26
halothane
automated measurements of isolated heart muscle contractions: effects of halothane, calcium, and magnesium on guinea pig left atrial muscle (Kobata et al), TECHNICAL NOTE, 26
magnesium
automated measurements of isolated heart muscle contractions: effects of halothane, calcium, and magnesium on guinea pig left atrial muscle (Kobata et al), TECHNICAL NOTE, 26
Intravenous fluids. *See* Fluid balance
Intravenous systems. *See* Equipment
Ischemia. *See* Spinal cord
Ischemic heart disease. *See* Heart
Isoflurane. *See* Anesthetics

Knowing your monitoring equipment
Radiometer ABL3000 blood gas analyzer (Holbek), 4

Lighting, fluorescent
fluorescent light interferes with pulse oximetry (Amar et al), TECHNICAL NOTE, 135
Lung
respiratory distress syndrome
monitoring in the intensive care unit is essential (LaPorta and Johnson), CLINICAL CONTROVERSY, 186
monitoring in the intensive care unit is not always necessary (Mott and Eisele), CLINICAL CONTROVERSY, 190

Magnesium. *See* Interactions
Malpractice. *See* Medicolegal
Mass spectroscopy. *See* Measurement techniques
Measurement techniques
blood gases
radiometer ABL3000 blood gas analyzer (Holbek), KNOWING YOUR MONITORING EQUIPMENT, 4
blood pressure
automated oscillometric blood pressure monitoring (Ramsey), 299A
evaluation of a continuous noninvasive blood pressure monitor in obstetric patients undergoing spinal anesthesia (Epstein et al), 157
pulse oximetry and finger blood pressure measurement during open-heart surgery (Kurki et al), 221
quantitative monitoring of brain function, vital signs, and hormonal response during acute insulin induced hypoglycemia (Chalew et al), 229
understanding natural frequency and damping and how they relate to the measurement of blood pressure (Kleinman), TUTORIAL, 137

Measurement techniques (*continued*)
capnography
accurate determination of end-tidal carbon dioxide during administration of oxygen by nasal cannulae (Bowe et al), 105
clinical implications of breath-by-breath oxygen measurements (Whitcher), 303A
capnometry
experiences with a new capnometer water separation system for use during intensive care (Makelainen and Gronstrand), 294A
cardiac output
evaluation of heavy water for indicator dilution cardiac output measurement (Schreiner et al), 236
sampling intervals for clinical monitoring of variables during anesthesia (Gravenstein et al), SPECIAL COMMUNICATION, 17
electrodes
use of three-dimensional topographic electroencephalographic analysis to optimize electrode placement for intraoperative recording (Edmonds and Griffiths), 290A
electroencephalography
quantitative monitoring of brain function, vital signs, and hormonal response during acute insulin induced hypoglycemia (Chalew et al), 229
mass spectroscopy
can the Raman scattering analyzer compete with mass spectrometers: an affirmative reply (Westenskow and Coleman), TECHNICAL NOTE, 34
plethysmography
computerized artifact detection for ventilatory inductance plethysmographic apnea monitors (East et al), 170
pulmonary extravascular water
evaluation of heavy water for indicator dilution cardiac output measurement (Schreiner et al), 236
pulse oximetry
end-tidal oxygen for routine monitoring (Gronstrand and Paloheimo), 292A
errors in 14 pulse oximeters during profound hypoxia (Severinghaus et al), 72
evaluation of the datascope accusat pulse oximeter in healthy adults (Cecil), CORRESPONDENCE, 64; reply (Mendelson), CORRESPONDENCE, 65
evaluation of the palmar circulation by pulse oximetry (Cheng et al), 1
evaluation of the palmar circulation by pulse oximetry (Striebel), CORRESPONDENCE, 287; reply (Cheng), CORRESPONDENCE, 287
fluorescent light interferes with pulse oximetry (Amar et al), TECHNICAL NOTE, 135
functional saturation versus fractional saturation: what does pulse oximetry read? (Pologe), 298A
laser-sat: a sensor technology for pulse oximetry (Goldfarb et al), 291A
pulse oximetry (Kelleher), REVIEW, 37
pulse oximetry: a "which" hunt? (Sykes), EDITORIAL, 69
pulse oximetry and finger blood pressure measurement during open-heart surgery (Kurki et al), 221
simple and noninvasive indicator of pulmonary gas exchange impairment using pulse oximetry (Katsuya and Sakanashi), 82
theoretical effect of carboxyhemoglobin on the pulse oximeter (Raemer et al), 246
Raman scattering analyzer
can the Raman scattering analyzer compete with mass spectrometers: an affirmative reply (Westenskow and Coleman), TECHNICAL NOTE, 34
Medicolegal
malpractice
present and future medicolegal importance of record keeping in anesthesia and intensive care: the case for automation (Gibbs), PANEL ON AUTOMATED RECORD KEEPING, 251
Metabolism
hypoglycemia
quantitative monitoring of brain function, vital signs, and hormonal response during acute insulin induced hypoglycemia (Chalew et al), 229
Monitoring
anesthesia
assessing the depth of anesthesia: comparison of clinical parameters (Rantala), 300A
clinical inhalation anesthesia: a quantitative approach made possible by halometry (Philip and Philip), 298A
automated record keeping
automated anesthesia record: friend or foe? (Ferrari), 291A
automatic anesthesia record keeping (Block), PANEL ON AUTOMATED RECORD KEEPING, 284
automating the recording and presentation of the anesthesia record (Ream), PANEL ON AUTOMATED RECORD KEEPING, 270
interactive microcomputer for acquisition of patient information (Peters), PANEL ON AUTOMATED RECORD KEEPING, 266
method for data acquisition from patient monitors for use with an automated patient information system (Pettus), 297A
present and future medicolegal importance of record keeping in anesthesia and intensive care: the case for automation (Gibbs), PANEL ON AUTOMATED RECORD KEEPING, 251
trend plots: what to keep? (Gravenstein), 291A
uses of the anesthesia record (Gravenstein), PANEL ON AUTOMATED RECORD KEEPING, 256
will automated anesthesia record keeping work in a large university hospital setting? (Minic et al), 295A
blood pressure
automated oscillometric blood pressure monitoring (Ramsey), 299A
dynamic response of the Rose damping device (Kleinman and Powell), 111
evaluation of a continuous noninvasive blood pressure monitor in obstetric patients undergoing spinal anesthesia (Epstein et al), 157
noninvasive, nonocclusive pulse pressure patterns (Hon), 293A
perfusion pressure and EEG changes during cardiopulmonary bypass (Jones and Scheller), CORRESPONDENCE, 288
pulse oximetry and finger blood pressure measurement during open-heart surgery (Kurki et al), 221
sampling intervals for clinical monitoring of variables during anesthesia (Gravenstein et al), SPECIAL COMMUNICATION, 17
understanding natural frequency and damping and how

they relate to the measurement of blood pressure (Kleinman), TUTORIAL, 137
carbon dioxide
accurate determination of end-tidal carbon dioxide during administration of oxygen by nasal cannulae (Bowe et al), 105
capnometry in infants should not be done at lower sampling flow rates (Gravenstein), CORRESPONDENCE, 63; reply (Mogue and Rantala), CORRESPONDENCE, 63
relationship between end-tidal and arterial carbon dioxide in neonates requiring mechanical ventilation (Meredith and Monaco), 295A
cardiac output
evaluation of heavy water for indicator dilution cardiac output measurement (Schreiner et al), 236
electrocardiography, intravascular
intravascular electrocardiography—a resurrected technique (Johans and Mallory), CORRESPONDENCE, 217; reply (Kapadia et al), CORRESPONDENCE, 217
electroencephalography
analysis of the electroencephalogram for burst suppression produced by preprogrammed infusion of thiopental (Crankshaw et al), 289A
delayed carotid shunt occlusion detected by electroencephalographic monitoring (Artru and Strandness), CASE REPORT, 119
interference of automated electroencephalographic processing by an endocardial pacemaker (Clark et al), CASE REPORT, 22
perfusion pressure and EEG changes during cardiopulmonary bypass (Jones and Scheller), CORRESPONDENCE, 288
use of three-dimensional topographic electroencephalographic analysis to optimize electrode placement for intraoperative recording (Edmonds and Griffiths), 290A
electromyography
upper facial muscle activity as an indicator of anesthetic adequacy and cerebral perfusion (Edmonds and Griffiths), 290A
evoked potentials
intraoperative monitoring of brainstem auditory evoked potentials following emergency evacuation of a cerebellar vascular malformation (Schwartz et al), CASE REPORT, 116
intraoperative somatosensory evoked responses recorded during onset of anterior spinal artery syndrome (Zornow and Drummond), CASE REPORT, 243
oxygen
clinical implications of breath-by-breath oxygen measurements (Whitcher), 303A
end-tidal oxygen for routine monitoring (Gronstrand and Paloheimo), 292A
errors in 14 pulse oximeters during profound hypoxia (Severinghaus et al), 72
evaluation of the datascope accusat pulse oximeter in healthy adults (Cecil), CORRESPONDENCE, 64; reply (Mendelson), CORRESPONDENCE, 65
fluorescent light interferes with pulse oximetry (Amar et al), TECHNICAL NOTE, 135
functional saturation versus fractional saturation: what does pulse oximetry read? (Pologe), 298A
positive end-expiratory pressure: implications for tidal volume changes in anesthesia machine ventilation (Elliott et al), 100
pulse oximetry (Kelleher), REVIEW, 37
pulse oximetry: a "which" hunt? (Sykes) EDITORIAL, 69
pulse oximetry and finger blood pressure measurement during open-heart surgery (Kurki et al), 221
pulse oximetry for monitoring during ward analgesia: epidural morphine versus parenteral narcotics (Choi et al), 87
sensitivity of various monitoring methods in the detection of venous air embolism (Makelainen et al), 294A
practical alarms
alarms and their limits in monitoring (Beneken and van der Aa), PANEL ON PRACTICAL ALARMS, 205
introduction (Sykes), PANEL ON PRACTICAL ALARMS, 192
knowledge-based approach to intelligent alarms (Fukui and Masuzawa), PANEL ON PRACTICAL ALARMS, 211
overview: creating alarms for the future (Philip), PANEL ON PRACTICAL ALARMS, 194
semipractical alarms: a parable (Quinn), PANEL ON PRACTICAL ALARMS, 196
structured alarm systems for the operating room (Schreiber and Schreiber), 201
pulmonary gas exchange
monitoring pulmonary gas exchange during anesthesia (Noe), 297A
simple and noninvasive indicator of pulmonary gas exchange impairment using pulse oximetry (Katsuya and Sakanashi), 82
sampling intervals
sampling intervals for clinical monitoring of variables during anesthesia (Gravenstein et al), SPECIAL COMMUNICATION, 17
ventilation
computerized artifact detection for ventilatory inductance plethysmographic apnea monitors (East et al), 170
experiences with a new capnometer water separation system for use during intensive care (Makelainen and Gronstrand), 294A
monitoring in the intensive care unit is essential (LaPorta and Johnson), CLINICAL CONTROVERSY, 186
monitoring in the intensive care unit is not always necessary (Mott and Eisele), CLINICAL CONTROVERSY, 190
prototype ventilator and alarm algorithm for the NASA space station (Brunner et al), 90
quantitative measures of ventilator performance (Stawitcke), 302A
Monitors. *See* Equipment
Morphine. *See* Anesthetics
Movement
computerized artifact detection for ventilatory inductance plethysmographic apnea monitors (East et al), 170

Narcotics. *See* Anesthetics
Nasal cannulas. *See* Equipment
Natural frequency
damping
dynamic response of the Rose damping device (Kleinman and Powell), 111
understanding natural frequency and damping and how they relate to the measurement of blood pressure (Kleinman), TUTORIAL, 137
Neurological surgery. *See* Surgery

Nitrous oxide
concentration
monitoring of the inspired and end-tidal oxygen carbon dioxide, and nitrous oxide concentrations: clinical applications during anesthesia and recovery (Linko and Paloheimo), 149

Opioids. *See* Analgesics
Oxgyen. *See also* Monitoring
blood levels
errors in 14 pulse oximeters during profound hypoxia (Severinghaus et al), 72
laser-sat: a sensor technology for pulse oximetry (Goldfarb et al), 291A
concentration
monitoring of the inspired and end-tidal oxygen, carbon dioxide, and nitrous oxide concentrations: clinical applications during anesthesia and recovery (Linko and Paloheimo), 149
delivery systems
accurate determination of end-tidal carbon dioxide during administration of oxygen by nasal cannulae (Bowe et al), 105
saturation
theoretical effect of carboxyhemoglobin on the pulse oximeter (Raemer et al), 246
sensors
radiometer ABL3000 blood gas analyzer (Holbek), KNOWING YOUR MONITORING EQUIPMENT, 4
uptake
clinical implications of breath-by-breath oxygen measurements (Whitcher), 303A
Oxyhemoglobin saturation. *See* Blood

Pacemakers, artificial. *See* Heart
Paging devices. *See* Equipment
Pain
postoperative
monitoring in the intensive care unit is essential (LaPorta and Johnson), CLINICAL CONTROVERSY, 186
Paraplegia. *See* Spinal cord
Physiology
veins and tissues
model for the physics and physiology of fluid administration (Philip), SPECIAL COMMUNICATION, 123
Plethysmography. *See* Measurement techniques
Pulmonary extravascular water. *See* Measurement techniques
Pulmonary gas exchange. *See* Monitoring
Pulse oximeters. *See* Equipment
Pulse oximetry. *See* Measurement techniques

Radial artery. *See* Arteries
Raman scattering analyzers. *See* Measurement techniques
Records, anesthesia
automated anesthesia record: friend or foe? (Ferrari), 291A
automatic anesthesia record keeping (Block), PANEL ON AUTOMATED RECORD KEEPING, 284
automating the recording and presentation of the anesthesia record (Ream), PANEL ON AUTOMATED RECORD KEEPING, 270
interactive microcomputer for acquisition of patient information (Peters), PANEL ON AUTOMATED RECORD KEEPING, 266
method for data acquisition from patient monitors for use with an automated patient information system (Pettus), 297A
present and future medicolegal importance of record keeping in anesthesia and intensive care: the case for automation (Gibbs), PANEL ON AUTOMATED RECORD KEEPING, 251
trend plots: what to keep? (Gravenstein), 291A
uses of the anesthesia record (Gravenstein), PANEL ON AUTOMATED RECORD KEEPING, 256
will automated anesthesia recordkeeping work in a large university hospital setting? (Minic et al), 295A
Respiratory distress syndrome. *See* Lung
Rose damping device. *See* Natural frequency

Sampling intervals. *See* Monitoring
Seizures. *See* Brain: convulsions
Sensors. *See* Oxygen
Spinal anesthesia. *See* Anesthetic techniques
Spinal arteries. *See* Arteries
Spinal cord
ischemia
intraoperative somatosensory evoked responses recorded during onset of anterior spinal artery syndrome (Zornow and Drummond), CASE REPORT, 243
paraplegia
intraoperative somatosensory evoked responses recorded during onset of anterior spinal artery syndrome (Zornow and Drummond), CASE REPORT, 243
Stethoscope. *See* Equipment
Surgery
cardiovascular
perfusion pressure and EEG changes during cardiopulmonary bypass (Jones and Scheller), CORRESPONDENCE, 288
pulse oximetry and finger blood pressure measurement during open-heart surgery (Kurki et al), 221
use of three-dimensional topographic electroencephalographic analysis to optimize electrode placement for intraoperative recording (Edmonds and Griffiths), 290A
carotid endarterectomy
delayed carotid shunt occlusion detected by electroencephalographic monitoring (Artru and Strandness), CASE REPORT, 119
interference of automated electroencephalographic processing by an endocardial pacemaker (Clark et al), CASE REPORT, 22
neurologic
intraoperative monitoring of brainstem auditory evoked potentials following emergency evacuation of a cerebellar vascular malformation (Schwartz et al), CASE REPORT, 116
thoracic
intraoperative somatosensory evoked responses recorded during onset of anterior spinal artery syndrome (Zornow and Drummond), CASE REPORT, 243

Thiopental. *See* Anesthetics, intravenous
Thoracic surgery. *See* Surgery

Ventilation
apnea
computerized artifact detection for ventilatory inductance plethysmographic apnea monitors (East et al), 170
mechanical
prototype ventilator and alarm algorithm for the NASA space station (Brunner et al), 90
quantitative measures of ventilator performance (Stawitcke), 302A
relationship between end-tidal and arterial carbon dioxide in neonates requiring mechanical ventilation (Meredith and Monaco), 295A
positive end-expiratory pressure
positive end-expiratory pressure: implications for tidal volume changes in anesthesia machine ventilation (Elliott et al), 100
tidal volume
positive end-expiratory pressure: implications for tidal volume changes in anesthesia machine ventilation (Elliott et al), 100